



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

1. *A Catalogue of the fifty Plants from Chelsea-Garden, presented to the Royal Society, by the Company of Apothecaries, for the Year 1727, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præs. Col. R. Med. & Soc. Reg. by Isaac Rand Apothecary, F. R. S.*

- 251 **A** Cetosa Ocimi folio, Neapolitana, C. B. 114.  
 252 Acetosa vesicaria peregrina Hort. Eyst.  
 253 Alcea afra, frutescens, folio Grossulariæ; flore parvo rubro Boerh. Ind. alt. 271.  
 254 Alcea Afra, frutescens, Grossulariæ folio ampliore; ungibus florum atro rubentibus.  
 255 Alchimilla montana minima Colum Ecphr. 146.  
 256 Althæa frutescens, folio acuto; parvo flore, C. B. 316.  
 257 Althæa frutescens, Bryoniæ folio. C. B. ib.  
 258 Althæa arborea, folio amplo, serrato.  
 259 Althæa Dioscoridis & Plinii. C. B. 315.  
 260 Althæa Dioscoridis & Plinii, folio magis angulato T. Inst. 97.  
 261 Ambrosia gigantea, inodora; foliis asperis trifidis Banist. Cat. Raii Hist. ap. 1928.  
 262 Asperugo vulgaris. T. Inst. 135.  
 263 Barba Jovis, Caroliniana, arborescens; Pseudoacaciæ foliis, *Bassard Indigo*, incolis.  
 264 Carlina patula, Atractylidis folio & facie. T. Inst. 500.  
 265 Centaurium foliis Cynaræ Cornut. 72.  
 266 Circæa Lutetiana Lob. icon. 266.  
 267 Circæa minima. Colum. Ecphr. 80.  
 268 Conyza Africana, frutescens; foliis Salviæ; odore Camphoræ. T. Inst. 455.

- 269 *Elichrysum montanum*, longiore & folio & flore purpureo. T. Inst. 453.
- 270 *Eupatorium Valerianoides*, Triffaginis folio, absq; pediculis, Virginianum. Pluk. Phyt. Tab. 88. f. 4.
- 271 *Glycyrrhiza capite echinato*. C. B. 352.
- 272 *Gramen dactylon*, majus; panicula longa; spicis plurimis nudis crassis. Sloane, Hist. v. i. 112 Tab. 69. f. 2.
- 273 *Gramen dactylon*, paniculâ longâ; è spicis plurimis gracilioribus, purpureis mollibus constante. Sloane, Hist. v. i. 113. Tab. 70. f. 2.
- 274 *Heliotropium Americanum*, cæruleum; foliis Hormini. Dodart. Mem. 83.
- 275 *Heliotropium majus Dioscoridi*. C. B. 253.
- 276 *Jacea cum squamis pennatis*, sive capite villoso. I. B. 3. 28.
- 277 *Ketmia Syrorum* quibusdam. C. B. 316.
- 278 *Linaria capillaceo folio*. C. B. 213.
- 279 *Linaria cærulea*, foliis brevioribus & angustioribus. Raii. Syn. Ed. 3. 282.
- 280 *Perficaria mitis*. J. B. 3. 779.
- 281 *Perficaria mitis major*; foliis pallidioribus. D. Bobart. Raii. Syn. Ed. 2. 58.
- 282 *Perficaria orientalis*, Nicotianæ folio; calyce florum purpureo. T. Cor. 38.
- 283 *Perfoliata vulgatissima sive arvensis*. C. B. 277.
- 284 *Portulaca Corassavica procumbens*; Capparidis folio; flore muscoso; capsula bifurcata. Parad. Bat. 213.
- 285 *Ranunculus hirsutus*, annuus; flore minimo. Raii Syn. Ed. 2. 135.

- 286 *Ricinus minor* *Staphys. agriæ folio* ; flore pentapetulo purpureo *Sloane Hist. Vol. I. 129. Tab. 84.*
- 287 *Sonchus lævis* in plurimas & tenuissimas lacinias divisus. *C. B. 124.*
- 288 *Spinacia Cretica*, supina ; capsulâ feminis aculeata. *T. Inft. 533.*
- 289 *Sena spuria*, arborea, spinosa ; foliis alatis ramosis, feu decompositis ; flore ex luteo & rubro specioso. *Sloane Hist. v. ii. 49.*
- 290 *Santolina foliis teretibus.* *T. Inft. 460.*
- 291 *Santolina repens* & canescens. *ib.*
- 292 *Santolina foliis minus incanis.* *T. Inft. 461.*
- 293 *Santolina foliis obscure virentibus.* *ib.*
- 294 *Santolina vermiculata Cretica.* *ib.*
- 295 *Santolina incana* ; *Chamæmeli* odore suaviore. *Boerh. Ind. alt. 123.*
- 296 *Santolina tota viridis* ; foliis *Ericæ* aut *Sabinæ.* *an 3 Dodon. 269 ?*
- 297 *Santolina canescens foliis Cupressi.* *an 4 Dodon. ib?*
- 298 *Santolina minor candidissima.*
- 299 *Tithymalus erectus acris* ; *Parietariæ* foliis glabris ; floribus ad caulium nodos conglomeratis. *Sloane Hist. v. i. 197. Tab. 126.*
- 300 *Tormentilla reptans*, alata, foliis profundius ferratis *D. Plot. Raii Syn. Ed. 2. 142.*

## E R R A T A.

**I**N *Philos. Tranfact. N°. 399*, some Mistakes of the Press in the Catalogue of the fifty Plants ought to be thus corrected. *Pag. 293*, after 203 and 208, dele this Mark — *Pag. 294*, after the following Numbers, 213, 214, 217, 218, 219, 220, 222, 225, dele — *Pag. 295*, after the following Numbers, 236, 237, 244, 246, 248, dele —